

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Calderoni et al.

Serial No.: 10/708,009

Group Art Unit: 1765

Filed: February 2, 2004

Examiner: Patricia Ann George

For: A MEASUREMENT TO DETERMINE PLASMA LEAKAGE

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO RESTRICTION REQUIREMENT

Sir:

In response to the Office Action dated August 12, 2005, please consider the following:

REMARKS


In response to the Restriction Requirement, Applicant hereby elects the invention of Group I, (Claims 1-17), without traverse. Applicant reserves the opportunity to file a Divisional Application for the non-elected invention later. Early, favorable prosecution on the merits is respectfully requested.

Should the Examiner find the application to be other than in condition for allowance, the Examiner is requested to contact the undersigned at the local telephone number listed below to discuss any other changes deemed necessary in a telephonic or personal interview.

10/708,009

A conditional petition is made for any extension of time which may become necessary. The Commissioner is authorized to charge any fees for such extension and to credit any overpayment in fees to Attorney's Deposit Account No. 09-0456.

Respectfully Submitted,



Frederick W. Gibb, III

Reg. No. 37,629

Date: 8-30-05
McGinn & Gibb, PLLC
2568-A Riva Road, Suite 304
Annapolis, Maryland 21401
(301) 261-8071
Customer No.29154